North Inlet-Winyah Bay (NIW) NERR Water Quality Metadata

January - December 1997

Updated: August 24, 2001

I. Data Set & Research Descriptors

1. Principal investigator(s) & contact persons

Dr. Dennis Allen, Manager

Christopher Aadland, Research Specialist

Ginger Ogburn-Matthews, Research Data Manager

E-mail:

dallen@belle.baruch.sc.edu Baruch Marine Laboratory
caadland@belle.baruch.sc.edu University of South Carolina
ginger@belle.baruch.sc.edu PO Box 1630, Georgetown, SC 29442

Phone: (843) 546-6219

Baruch Institute home page: http://inlet.geol.sc.edu.

CDMO home page: http://inlet.geol.sc.edu/cdmohome.html

2. Entry verification

The .dat and .csv versions of the raw data files were uploaded to a PC from $\,$

either YSI or Hydrolab dataloggers. Data plots were produced and examined for

any anomalies using PC6000 software . Comma delimited files are opened in

Microsoft EXCEL 5.0 and edited by removing unnecessary headers, footers and

spaces. Suspect data were evaluated as to being either good or bad based on

criteria outlined in the CDMO manual ver. 3.0. If the data are determined to be

bad, they were deleted from the final edited .txt file and then documented in

the metadata. If it could not be determined whether or not suspect data is bad

(as was often the case with turbidity) the data was left in the final edited

.txt file and noted in the metadata as anomalous. Missing data due to equipment $% \left(1\right) =\left(1\right) +\left(1\right) +\left($

failure or maintenance were deleted from the final edited .txt file and were

replaced with periods (.). Edited (.txt) and raw (.csv) files were then $\mbox{FTP'd}$

to our Sun Sparc II server and archived. The bi-weekly edited (.csv) files are

merged to contain one full month of data. All 1997 Thousand Acre and Oyster $\,$

Landing data were verified using the CDMO 5.0 Microsoft Excel oulier macro which

are designed to detect any outliers (values which fall outside the range that

the instrument is designed to measure - see section II.8 of this document) and

other erroneous data. Outliers were determined according to the instrument

manufacturers' manual. After the CDMO macros were run, files with suspicious

data were charted in Microsoft Excel 5.0 to determine whether there were any

problems with the probes. The dissolved oxygen (DO) and Turbidity (Turb) probes

were the most problematic. In instances where data values increased or decreased in an exponential fashion and or intermittently went outside the

accepted range for that instrument and never returned to normal, the data was

considered suspect, noted in the metadata, and removed from the final edited

data file. The date/hour and column reformat macros were then run on the data

files before being saved in their final edited form (.txt). The most current

CDMO macros are available on the NERRS CDMO home page. Chris Aadland edited and

archived the 1997 data for Thousand Acre and Oyster Landing.

3. Research Objectives

The principal objective of this study is to record long-term water quality data $\ensuremath{\mathsf{Q}}$

for North Inlet/Winyah Bay in order to observe any physical changes or trends in

water quality over time. Measurements were taken every 30 minutes over two

week collecting periods at the Oyster Landing and Thousand Acre sites.

4. Research methods (YSI and Hydrolab dataloggers)

YSI and/or Hydrolab dataloggers are currently mounted in a 4" diameter PVC pipe

which is strapped to a treated 2" X 6" board; and then attached via stainless

steel bands to a piling at both the Thousand Acre and Oyster Landing sites. The $\,$

PVC pipe which houses the data loggers has two large windows cut out near the

bottom for the probes to have direct contact with the water column. A stop bolt

placed through the PVC pipe below the cut out windows keeps the datalogger

exactly one foot (30 cm) above the creek bottom. Every 30 minutes measurements

of specific conductivity, salinity, percent saturation, dissolved oxygen, water

temperature, pH, turbidity , and water level are recorded. The two week sampling interval has been selected due to biofouling of the individual probes

and expected battery life. At the end of each sampling interval, the dataloggers are brought back to the laboratory to be downloaded, cleaned and

recalibrated. Before the instruments are cleaned and recalibrated a post calibration reading is taken from each instrument in fresh standard to see if

any of the instruments exhibit drift. The Ph probe was calibrated using a two

point method and either 4,7 or 7,10 standards. The turbidity probe calibration

also used a two point method using 0 &100 NTU standards. Specific Conductivity

was calibrated using a one point method and a $10\,\mathrm{micromhos}$ standard. These

procedures were carried out according to the methods described in the YSI Operators Manual (see sections 3 and 7). After approximately 24 hours of down

time for cleaning and overnight relaxing of the DO membrane, the YSI and/or $\,$

Hydrolab dataloggers were redeployed. YSI dataloggers are normally used, although on occasion due to repairs etc., a backup Hydrolab datalogger was

substituted for a YSI unit. All downtime due to maintenance and repair is

recorded on a log sheet and then transferred to the metadata.

5. Site location and character

The North Inlet-Winyah Bay National Estuarine Research Reserve is located on the

Southeastern Atlantic coast of the United States in two tidal estuaries, North

Inlet and Winyah Bay, near Georgetown, South Carolina. The North Inlet estuary,

located approximately 10 km east of Georgetown, is a bar-built Class C type

estuary (Pritchard, 1955)1. The North Inlet estuary is composed of numerous

winding tidal creeks, and is considered a pristine tidal estuary due to minimal

anthropogenic impacts. The watershed drains a $24.8\ \mathrm{km2}$ area of mostly pine

forest and a moderately developed residential watershed to the north. The

Winyah Bay estuary, classified as a Class B type estuary by Pritchard (1955)1,

which originates in the Blue Ridge Mountains of North Carolina, is one of the

largest river-estuary ecosystems on the Eastern Seaboard. It is located $14.4 \ \mathrm{km}$

south of North Inlet. Winyah Bay drains the sub-basins of 6 major rivers which

are heavily impacted by agriculture, mining, and industry. The rivers drain

approximately 46,736 km2 of uplands and marshes. Descriptions of the two sampling stations are as follows:

1) Thousand Acre (TA) - (lat. 33:18:22; long. 79:15:4) The Thousand Acre monitoring site is located in Thousand Acre marsh tidal creek approximately 30

meters northeast of the west bridge of Thousand Acre marsh. The creek empties

into the northeastern side of the mid portion of Winyah Bay and directly drains

pine forested upland and wetlands. Salinity ranges from 0 to 15 ppt. and tidal $\ensuremath{\text{0}}$

flux is approximately 1m. The bottom is most composed of fine sediments and

detritus. Georgetown, $5\ \mathrm{km}$ upstream from the Thousand Acre site and on the

southern side of Winyah Bay, is the home port for a number of heavy industries

including a steel plant, paper mill, chemical plant, and a coal fired power

plant. A public sewage treatment plant which discharges into the bay is also

located in Georgetown.

2) Oyster Landing (OL) - (lat 33:21:03; long. 79:11:24). The Oyster Landing

monitoring site is considered a fairly pristine and undisturbed area located at

the end of the Oyster Landing pier which is also where the $\,$ NI/Winyah Bay $_{\rm NERR}$

weather station site is located. The pier stretches into the upper reaches of

Crabhaul Creek in the mid western portion of North Inlet. Crabhaul Creek directly drains pine forested uplands and wetlands. Salinity can range from 0-

 $32~\mathrm{ppt.}$ and average tidal flux is approximately 1.4m. The bottom mostly is

comprised of oyster shell hash with some fine sediment and detritus.

6. Data collection period

Thousand Acre and Oyster Landing data collection both began January 1, 1995.

All sampling is ongoing.

A Hydrolab DataSonde $\,$ was used to collect data at Thousand Acre during the

following date and times:

06/26/97 15:30-07/02/97 11:00

07/04/97 7:00- 7/16/97 13:00

7. Associated researchers and projects

A water chemistry program is associated with the NIW core monitoring program.

Variables sampled include: chlorophyll, dissolved organic carbon, nitrate-

nitrite, orthophosphate, and ammonia. (See documentation on the NIW WWW home

page for further details). Thousand Acre is our permanent monitoring station

for the NERR monitoring program. This station is also included in our NIW core

monitoring program.

II. Physical Structure Descriptors

8. Variable sequence, range of measurements (units), resolution, and accuracy

YSI 6000 datalogger

Variable Name Format Range of Measurements (Units) Resolution Accuracy

DATE (MMDDYY) 1-12, 1-31, 00-99 (Month, Day, Year) (1 month, 1 day, 1 vr) NA

HOUR (HHMMSS) 0-24, 0-60, 0-60 (Hr, Min, Sec) (1 hr, 1 min, 1 sec)

WTEMP -5 to 45 (C) 0.01C \pm 0.15C

SPCOND 0-100 (mS/cm) 0.01mS/cm \pm (0.5% of reading+0.001mS/cm)

SALINITY 0-70 parts per thousand (ppt) 0.01 ppt $\pm 1.0\%$ of reading or 0.1ppt, (or whichever is greater)

DO Sat 0-200 (% Saturation) 0.1% @air saturation $\pm 2.0\%$ @air sat

DO Sat 200-500 (% Saturation) 0.1% @air saturation ±6% @air sat

DO mg $0-20 \text{ (mg/l) } 0.01\text{mg/l} \pm 0.2\text{mg/l}$

DO mg 20-50 (mg/l) 0.01mg/l ± 0.6 mg/l

Depth (shallow) 0-9.1(m) 0.001m $\pm 0.018m$

pH 2-14 units 0.01units ± 0.2 units

TURB 0-1000 NTU 0.1 NTU $\pm 5\%$ reading or 2.0 NTU (whichever is greater)

Hydrolab DataSonde 3

Variable Name Range of Measurement (Units) Resolution Accuracy

Date 1-12, 1-31, 00-99 (Month, Day, Yr) 1 month, 1 day, 1 year NA

Time 0-24, 0-60, 0-60 (Hr, Min, Sec) 1 hr, 1 min, 1 sec NA

Temp -5 to $50(c) 0.01(c) \pm 0.15(c)$

Sp. Cond $0-100 \, (mS/cm)$ $0.01 \, (mS/cm) \pm 0.5\%$

Sal 0-70 Parts per thousand (ppt) 0.1ppt ± 0.2 ppt

DO 0-200(%air sat) 0.1%@ air saturation \pm 2% @air saturation

DO $0-20 (mg/1) 0.01 mg/1 \pm 0.2 mg/1$

Level 0-10 (m) 0.01m $\pm 0.09m$

pH 2-14 units 0.01units ± 0.2 units

Data columns are separated by tabs.

9. Coded variable indicator and variable code definitions

Site definitions: OL = Oyster Landing; TA = Thousand Acre

10. Data anomalies (suspect data)

Any questionable outlying data points between January 1, 1997 and December 31,

1997, not addressed below, have been checked and correspond to probable rainfall

or other weather related events.

OYSTER LANDING (OL)

Jan-97

Oyster Landing (OL)

Date Time Variable Reason 01/30/97 19:00:00 >1000 Turb. 01/30/97 20:30:00 Turb. neg. Turb. 01/30/97 22:00:00 Turb. >1000 01/30/97 23:00:00 Turb. neg. Turb. 01/31/97 00:00:00-01:30 Turb. neg. Turb.

01/31/97	05:00:00	Turb.	neg.	Turb.
01/31/97	17:30:00	Turb.	neg.	Turb.

Feb-97

Oyster Landing (OL)

Date	Time	Variable	Reason				
02/01	/97	00:30:00	Turb.	neg. Turb.			
02/02	/97	09:30:00- 1	0:00:00	Turb.	>1000		
02/03	/97	18:30:00	Turb.	>1000			
02/06	/97	08:30:00	Turb.	>1000			
02/06	/97	09:00:00-10	:30:00Turb.	neg. Turb.			
02/21	/97	09:00:00	02/21/97	10:30:00	all	weak	battery
02/22	/97	08:30:00	02/25/97	15:00:00	all	weak	battery

Mar-97

Oyster Landing (OL)

Date	Time	Variable	Reason		
03/07	/97	20:30:00-	21:00:00	%DO	unusually high
03/08	/97	08:00:00-	10:30:00	%DO	unusually high
03/08	/97	15:30:00	Turb.	neg.	Turb.
03/08	/97	23:30:00	Turb.	neg.	Turb.
03/09	/97	02:30:00	Turb.	>1000)
03/09	/97	10:30:00-	11:00:00	Turb.	>1000
03/09	/97	12:30:00	Turb.	>1000)
03/09	/97	13:30:00	Turb.	neg.	Turb.

03/09/97	15:00:00	Turb.	neg. Turb.		
03/09/97	16:00:00	Turb.	neg. Turb.		
03/09/97	17:00:00	Turb. >1000			
03/09/97	17:30:00- 1	18:30:00	Turb.	neg.	Turb.
03/09/97	21:30:00- 2	22:30:00	Turb.	neg.	Turb.
03/10/97	08:30:00	Turb.	neg. Turb.		
03/10/97	10:30:00	Turb.	neg. Turb.		

03/10/97 11:30:00- 12:30:00 Turb. neg. Turb.

03/13/97 16:30:00 Turb. neg. Turb.

April-97

Oyster Landing (OL)

Date Time Variable Reason

04/25/97 22:30:00 Turb. neg. Turb.

May-97

Oyster Landing (OL)

Date Time Variable Reason

05/01/97 09:00:00- 09:30:00 %DO unusually high readings

June-97 (OL)

Oyster Landing (OL)

Date Time Variable Reason

06/04/97 10:00:00 Turb. neg. Turb.

06/11/97 11:30:00 %DO unusually high readings

```
6/13/97 07:30 DO%, DOmg/l Neg. DO readings
6/14/97 07:30 DO%, DOmg/l Neg. DO readings
06/17/97 11:00:00 Turb. neg. Turb.
06/30/97 23:00:00 Turb. neg. Turb.
```

Jul-97

Oyster Landing (OL)

Date Time	Variable	Reason					
07/11/97	12:30:00	Turb.	neg.	Turb.			
07/13/97	07:30:00	Turb.	neg.	Turb.			
07/13/97	23:30:00	Turb.	>100	0			
07/22/97	15:30:00	Turb. neg.	Turb.				
07/27/97	09:30:00	Turb.	neg.	Turb.			
07/27/97	10:00:00	Turb. >1000					
07/28/97	01:00:00	Turb.	neg.	Turb.			
07/29/97	06:30:00	Turb.	neg.	Turb.			
07/30/97	05:30:00	Turb. >1000					
7/31/97 deleted	11:00 throu	gh 7/31/97	23:4	5 DO%,	DOmg/l Errat	ic DO	readings

Aug-97

Oyster Landing (OL)

Date Time	Variable Reason	
8/01/97 deleted	00:00 through 8/13/97	10:00 DO%, DOmg/l Erratic DO readings
08/02/97	12:30:00 Turb.	neg. Turb.
08/04/97	04:30:00 Turb.	neg. Turb.

08/05/97 16:30 08/13/97 09:30 DO%, DOmg/l Erratic DO readings 08/21/97 09:30 08/31/97 23:30 DO%, DOmg/l Erratic DO readings

Sep-97

Oyster Landing (OL)

Date Time Variable Reason

9/01/97 00:00 9/02/97 9:00 DO%, DOmg/l Erratic DO reading

9/16/97 10:30 9/29/97 07:00 DO%, DOmg/l Erratic DO reading

09/16/97 10:30 - 14:30 Very low spcond/salinity and depth readings; Specific conductivity port may have come out of the water.

Oct-97 (OL)

Date Time Variable Reason

10/01/97 00:00:00 10/15/97 14:00:00 DO%, DOmg erratic readings

10/14/97 10:30:00 10/15/97 14:00:00 pH unusually low readings

Nov-97 (OL)

Date Time Variable Reason

11/26/97 10:00:00 12/12/97 10:00:00 Depth unit was not in mounting

pipe. See other remarks section for details.

THOUSAND ACRE (TA)

Thousand Acre (TA)

Date Time Variable Reason

02/21/97 18:00:00 Turb. >1000

02/25/97 22:30:00 Turb. neg. Turb.

Mar-97

Thousand Acre (TA)

Date	Time	Variable	Reason	
03/07	/97	07:00:00	Turb.	neg. Turb.
03/08	/97	19:00:00	Turb.	neg. Turb.
03/09	/97	06:00:00	Turb.	neg. Turb.
03/09	/97	17:00:00	Turb.	neg. Turb.

May-97

Date Time Variable Reason

5/9/97 12:30 5/22/97 07:30 %DO,mg/l bad DO probe; all data deleted

Jul-97

Thousand Acre (TA)

Date Time Variable Reason

07/17/97 15:00:00 DO%, DOmg out of range

Oct-97

Thousand Acre (TA)

Date Time Variable Reason

10/12/97 07:00:00 Turb. neg. Turb.

Dec-97

Thousand Acre (TA)

Date Time Variable Reason

12/03/97 20:30:00 Turb. neg. Turb.

12/11/97 05:00:00 Turb. neg. Turb.

12/11/97 08:30:00 Turb. neg. Turb.

12/18/97 22:30:00 Turb. >1000

12/19/97 15:00:00 Turb. >1000

12/20/97 15:30:00 Turb >1000

12/20/97 16:30:00 Turb >1000

12/24/97 06:30:00 Turb >1000

12/24/97 07:30:00-8:00:00 Turb >1000

12/24/97 09:00:00-11:30:00 Turb >1000

12/24/97 12:30:00-13:30:00 Turb >1000

12/24/97 14:30:00-16:00:00 Turb >1000

12/24/97 17:00:00 Turb >1000

12/24/97 19:00:00 Turb >1000

12/25/97 08:30:00 Turb >1000

12/27/97 20:00:00 Turb >1000

12/28/97 01:30:00 Turb >1000

12/29/97 17:30:00 Turb >1000

12/31/97 23:00:00-23:30:00 Turb >1000

12. Missing Data

Every two weeks at TA and OL, there is a period of approximately 24 hours of missing data due to maintenance and calibration.

OYSTER LANDING (OL)

Jan-97

Oyster Landing (OL)

Date	Time	Date	Time	Variable	Reason
1/1/9	7	00:00 1/8/9	7	13:30 all	maintenance
1/21/	97	12:30 1/24/	97	12:30 all	maintenance

Feb-97

Oyster Landing (OL)

Date	Time	Date	Time	Variak	ole	Reaso	on
2/6/9	7	11:00 2/7/9	7	11:00	all	maint	enance
2/21/	97	09:00 2/21/	97	10:30	all	weak	battery
2/22/	97	08:30 2/25/	97	15:00	all	weak	bettery

Mar-97

Oyster Landing (OL)

Date Time ---Date Time Variable Reason

3/10/97	13:00 3/13/97	15:30 all	maintenance
3/26/97	15:30 3/27/97	13:00 all	maintenance

Apr-97

Oyster Landing (OL)

Date	Time	Date	Time	Variable	Reaso	on
4/10/	97	08:00 4/11/	97	13:30:00	all	maintenance
4/24/	97	08:00 4/25/	97	12:00 all	maint	tenance

May-97

Oyster Landing (OL)

Date	Time	Date	Time	Variable		Reason
5/8/9	7	08:30 5/9/9	7	11:30 all	-	maintenance
5/22/	97	08:00 5/23/	97	12:30 all	-	maintenance

Jun-97

Oyster Landing (OL)

Date Time	Date	Time	Variable	Reason
6/5/97	08:00 6/6/9	7	13:00 all	maintenance
6/13/97	07:30 DO%,	DOmg/l	Neg. DO rea	dings
6/14/97	07:30 DO%,	DOmg/l	Neg. DO rea	dings
6/19/97	08:00 6/20/	97	13:00 all	maintenance

Oyster Landing (OL)

Date Time	eDate Time	Variable	Reason
7/2/97	11:30 7/7/97	11:00 all	maintenance
7/16/97	12:30 7/17/97	09:30 all	maintenance
7/30/97	12:30 7/31/97	10:30 all	maintenance
7/31/97	11:00 7/31/97	23:45 DO%,	DOmg/lErratic DO readings deleted

Aug-97

Oyster Landing (OL)

Date	Time	Date	Time	Variable	Reason			
8/1/9	7	00:00 8/13	/97	10:00 DO%,	DOmg/l Erratic	DO	readings	deleted
8/13/9	97	10:00 8/21	/97	09:00 all	maintenance			
8/21/9	97	09:30 8/31	/97	23:30 DO%,	DOmg/l Erratic	DO	readings	

Sep-97

Oyster Landing (OL)

Date	Time	Date	Time	Varia	ble	Reason	
9/1/9	7	00:00 9/2/9	97	9:00	DO%,	DOmg/lErratic DO readi	ngs
9/2/9	7	09:30 9/3/9	97	9:30	all	maintenance	
9/15/	97	08:30 9/16/	97	10:00	all	maintenance	
9/16/	97	10:30 9/29/	97	07:00	DO%,	DOmg/l Erratic DO readi	ngs
9/29/	97	07:30 9/30/	97	09:30	all	maintenance	

Oct-97

Oyster Landing (OL)

Date Time ---Date Time Variable Reason

10/01/97 00:00: 10/15/97 14:00 DO%, DOmg erratic readings

10/15/97 14:30 10/16/97 14:30 all maintenance

10/29/97 09:30 10/30/97 11:00 all maintenance

Nov-97

Oyster Landing (OL)

Date Time ---Date Time Variable Reason

11/8/97 09:00 11/08/97 11:30 all maintenance

11/8/97 20:00 11/13/97 11:30 all maintenance

11/24/9712:30 11/26/97 10:30 all maintenance

Dec-97

Oyster Landing (OL)

Date Time ---Date Time Variable Reason

12/12/97 10:30 12/16/97 14:00 all maintenance

12/16/97 16:00 12/17/97 10:30 all Not deployed due to possible

vandalism

THOUSAND ACRE (TA)

d

Jan-97

Thousand Acre (TA)

Date Time ---Date Time Variable Reason

1/1/97 00:00 1/8/97 14:00 all maintenance

1/22/97 16:00 1/31/97 23:30 all maintenance

Feb-97

Thousand Acre (TA)

Date	Time	Date	Time	Variable	Reason
2/1/9	7	00:00 2/7/9	7	11:30 all	maintenance
2/22/	97	08:30 2/25/	97	15:30 all	maintenance

Mar-97

Thousand Acre (TA)

Date	Time	Date	Time	Variable	Reason
3/10/	97	12:00 3/13/	97	16:00 all	maintenance
3/26/	97	10:30 3/27/	97	11:00 all	maintenance

Apr-97

Thousand Acre (TA)

Date	Time	Da	te	Time	Varia	ble	Reason
4/10/	97	8:30	4/11/	97	13:30	all	maintenance
4/24/	97	8:30	4/30/	97	23:30	all	maintenance

May-97

Thousand Acre (TA)

	Date	Time	Date	Time	Variable	Reason
5/1/97		7	00:00 5/1/9	7	13:30 all	maintenance

5/8/97	09:00 5/9/97	12:00 all maintenance
5/9/97 deleted	12:30 5/22/97	07:30 %DO,mg/l bad DO probe; all data
5/22/97	08:00 5/23/97	13:00 all maintenance

Jun-97

Thousand Acre (TA)

Date	Time	Da	te	Time	Varia	ble	Reason
6/5/9	7	9:00	6/6/9	7	12:00	all	maintenance
6/19/	97	8:30	6/30/	97	23:30	all	maintenance

Jul-97

Thousand Acre (TA)

Date	Time	Date	Time	Variable	Reaso	on	
7/1/9	7	00:00 7/4/9	7	06:30 all	main	tenance	
7/4/9 istal		07:00 7/16/	97	13:00 Turl	o., Ph	hydrolab,	no probes
7/16/	97	13:30 7/17/	97	9:30 all	main	tenance	
7/17/ insta	97 lled	10:00 7/30/	97	13:00 Turl	o., Ph	hydrolab,	no probes
7/17/	97	15:00 DO%,	DOmg	out of ra	nge		
7/30/	97	13:30 7/31/	97	9:30 main	ntenanc	е	

Aug-97

Thousand Acre (TA)

Date Time ---Date Time Variable Reason

Sep-97

Thousand Acre (TA)

Date	Time	Da	te	Time	Varia	ble	Reason	
9/2/9	7	9:00	9/3/9	7	10:00	all	maintenanc	е
9/15/	97	8:00	9/16/	97	10:30	all	maintenanc	е
9/29/	97	8:00	9/30/	97	10:30	all	maintenanc	е

Oct-97

Thousand Acre (TA)

Date	Time	Date	Time	Variable		Reason	
10/15	/97	14:00 10/16	/97	14:30 al	1	maintenance	
10/29	/97	09:30 10/30	/97	11:30 al	1	maintenance	

Nov-97

Thousand Acre (TA)

Date	Time	Date	Time	Variable	Reasc	n
11/12	/97	09:30 11/13	/97	12:30:00	all	maintenance
11/24	/97	12:00 11/26	/97	11:00:00	all	maintenance

Dec-97

Thousand Acre (TA)

Date Time ---Date Time Variable Reason

12/12/97 10:30 12/16/97 13:30 all maintenance

Other Remarks:

Sometime during the period from 11/26/97-12/12/97 at our OL site, vandals

removed the YSI from its PVC mounting and threw the unit underneath the pier.

Since the instrument was still located in close proximity to the mounting pipe we chose to keep the data.

At OL from 8/21/97 9:30:00-9/27/97 9:30:00 the time was off by 35 seconds.

At OL from $12/16/97\ 16:00:00-12/17/97\ 10:30:00$ unit was not put out due to vandalism.

Deployment and Retrieval Log

Oyster Landing

Retrieval	Date/Time	Deployment	Date/	Time
1/2/97	9:00:00	1/8/	97	13:30:00
1/21/97	12:30:00	1/24/97	12:30	:00
2/6/97	11:00:00	2/7/97	11:00	:00
2/22/97	9:00:00	2/25	/97	15:00:00
3/10/97	13:00:00	3/13/97	15:30	:00
3/26/97	15:30:00	3/27/97	13:00	:00
4/10/97	8:00:00	4/11	/97	13:30:00
4/24/97	8:00:00	4/25	/97	12:00:00
5/8/97	8:30:00	5/9/	97	11:30:00

5/22/97	8:30:00		5/23/	97	12:30:00
6/5/97	8:00:00		6/6/9	7	13:00:00
6/19/97	8:00:00		6/20/	97	13:00:00
7/2/97	11:30:00	7/7/9	7	11:00	:00
7/16/97	12:30:00	7/17/	97	9:30:	00
7/30/97	12:30:00	7/31/	97	10:30	:00
8/13/97	10:00:00	8/21/	97	9:00:	00
9/2/97	9:30:00		9/3/9	7	9:30:00
9/15/97	8:30:00		9/16/	97	10:00:00
9/29/97	7:30:00		9/30/	97	9:30:00
10/15/97	14:30:00	10/16	/97	14:30	:00
10/29/97	9:30:00		10/30	/97	11:00:00
11/8/97	20:00	:00	11/13	/97	11:30:00
11/24/97	12:30:00	11/26	/97	10:30	:00
12/12/97	10:30:00	12/17	/97	10:30	:00

Thousand Acres

Retrieval	Date/Time	рертойщенс	Date/Time

1/22/97	16:00:00	2/7/9	7	11:30	:00
2/22/97	8:30:00		2/25/	97	16:00:00
3/10/97	12:00:00	3/13/	97	16:00	:00
3/26/97	10:30:00	3/27/	97	11:00	:00
4/10/97	8:30:00		4/11/	97	13:30:00
4/24/97	8:30:00		5/1/9	97	13:30:00
5/8/97	9:00:00		5/9/9	97	12:00:00

5/22/97	8:00:00		5/23/	97	13:00:00
6/5/97	9:00:00		6/6/9	7	12:00:00
6/19/97	8:30:00		7/4/9	7	6:30:00
7/16/97	13:30:00	7/31/	97	9:30:	00
8/13/97	9:00:00		8/19/	97	9:00:00
9/2/97	9:00:00		9/3/9	7	10:00:00
9/15/97	8:00:00		9/16/	97	10:30:00
9/29/97	8:00:00		9/30/	97	10:30:00
10/15/97	14:00:00	10/16	/97	14:30	:00
10/29/97	9:30:00		10/30	/97	11:30:00
11/12/97	9:30:00		11/13	/97	12:30:00
11/24/97	12:00:00	11/26	/97	11:00	:00
12/12/97	10:30:00	12/16	/97	13:30	:00