North Inlet-Winyah Bay (NIW) NERR Water Quality Metadata January - December 1999 Updated: July 24, 2000

- I. Data Set & Research Descriptors
- Principal investigator(s) & contact persons
 Dr. Dennis Allen, Manager, dallen@belle.baruch.sc.edu
 Christopher Aadland, Research Specialist,
 caadland@belle.baruch.sc.edu

Address:

Baruch Marine Laboratory University of South Carolina PO Box 1630, Georgetown, SC 29442

Phone: (843) 546-6219

Baruch Institute home page: http://inlet.geol.sc.edu.

2. Entry verification

The .dat and .csv versions of the raw data files were uploaded to a PC $\ensuremath{\mathsf{from}}$

either YSI or Hydrolab dataloggers. Data plots were produced and examined for $% \left(1\right) =\left(1\right) +\left(1$

any anomalies using the CDMO graphing Macro. Comma delimited files are opened

in Microsoft EXCEL 5.0 and edited by removing unnecessary headers, footers and

spaces. Suspect data were evaluated as to being either good or bad based on

criteria outlined in the CDMO manual ver. 3.0. If the data were determined to

be bad, they were deleted from the final edited .txt file and then documented in

the metadata. If it could not be determined whether or not suspect data were

bad (as was often the case with turbidity) the data was left in the final edited

.txt file and noted in the metadata as anomalous. Missing data due to equipment

failure or maintenance were deleted from the final edited .txt file and were

replaced with periods (.). Edited (.txt) and raw (.csv) files were then $\mbox{FTP'd}$

to our Sun Sparc II server and archived. The bi-weekly edited (.csv) files are

merged to contain one full month of data. All 1999 Thousand Acre, Debordieu

Creek and Oyster Landing data were verified using the CDMO $5.0~\mathrm{Microsoft}$ Excel

outlier macro which is designed to kick out any outliers (values which fall

outside the range that the instrument is designed to measure - see section ${\tt II.8}$

of this document) and other erroneous data. Outliers were determined according

to the instrument manufacturers' manual. After the CDMO Excel $5.0~\mathrm{macros}$ were

run, files with suspicious data were graphed using the latest version of the

CDMO graphing macro to determine whether there were any problems with the probes. The dissolved oxygen (DO) and Turbidity (Turb) probes were the most

problematic. In instances where data values increased or decreased in an exponential fashion and or intermittently went outside the accepted range for

that instrument and never returned to normal, the data was considered suspect,

noted in the metadata, and removed from the final edited data file. The date/hour and column reformat macros were then run on the data files before

being saved in their final edited form (.txt). The most current CDMO macros are $\$

available on the NERRS CDMO home page. Chris Aadland edited and archived the $\ensuremath{\text{c}}$

1999 data for Thousand Acre, Debordieu Creek and Oyster Landing.

3. Research Objectives

The principal objective of this study is to record long-term water quality data $\ensuremath{\mathsf{S}}$

for North Inlet/Winyah Bay in order to observe any physical changes or trends in

water quality over time. Three sites were chosen one to represent our pristine

site and the other two to represent impacted sites. The Oyster Landing site is

located near the center of the Reserve and is considered pristine. Debordieu

Creek and Thousand Acre are both located in waterways which receive run off from

heavily developed areas. Measurements were taken every 30 minutes over two week

collecting periods at the Oyster Landing, Debordieu Creek and Thousand Acre sites.

4. Research methods (YSI 6000 dataloggers)

YSI dataloggers are currently mounted in a 4" diameter PVC pipe which is strapped to a treated 2" X 6" board; and then attached via stainless steel bands

to a piling at both the Thousand Acre, Debordieu Creek and Oyster Landing sites.

The PVC pipe which houses the data loggers has two large windows cut out near

the bottom for the probes to have direct contact with the water column. A stop

bolt placed through the PVC pipe below the cut out windows keeps the datalogger

exactly one foot (30 cm) above the creek bottom. Every 30 minutes measurements

of specific conductivity, salinity, percent saturation, dissolved oxygen, water

temperature, pH, turbidity, and water level are recorded. The two week sampling

interval has been selected due to biofouling of the individual probes and expected battery life. At the end of each sampling interval, the dataloggers

are brought back to the laboratory to be downloaded, cleaned and recalibrated.

Before the instruments are cleaned and recalibrated a post calibration reading

is taken from each instrument in fresh standard to see if any of the instruments

exhibit drift. The pH probe was calibrated using a two point method and either

4,7 or 7,10 standards. The turbidity probe calibration also used a two point

method using 0 &100 NTU standards. Specific Conductivity was calibrated using a

one point method and a 10 ms/cm standard which was purchased through Fisher

Scientific. These procedures were carried out according to the methods described in the YSI Operators Manual (see sections 3 and 7). After approximately 24 hours of down time for cleaning and overnight relaxing of the

DO membrane, the YSI dataloggers were redeployed

5. Site location and character

The North Inlet-Winyah Bay National Estuarine Research Reserve is located on the

Southeastern Atlantic coast of the United States in two tidal estuaries, North

Inlet and Winyah Bay, near Georgetown, South Carolina. The North Inlet estuary,

located approximately 10 km east of Georgetown, is a bar-built Class C type

estuary (Pritchard, 1955)1. The North Inlet estuary is composed of numerous

winding tidal creeks, and is considered a pristine tidal estuary due to \min

anthropogenic impacts. The watershed drains a 24.8 km2 area of mostly pine

forest and a moderately developed residential watershed to the north. The $\,$

Winyah Bay estuary, classified as a Class B type estuary by Pritchard (1955)1,

which originates in the Blue Ridge Mountains of North Carolina, is one of the

largest river-estuary ecosystems on the Eastern Seaboard. It is located $14.4\ \mathrm{km}$

south of North Inlet. Winyah Bay drains the sub-basins of 6 major rivers, which

are heavily impacted by agriculture, mining, and industry. The rivers drain

approximately $46,736~\mathrm{km2}$ of uplands and marshes. Descriptions of the three

sampling stations are as follows:

1) Thousand Acre (TA) - (lat. 33:18:22; long. 79:15:4) The Thousand Acre monitoring site is located in Thousand Acre marsh tidal creek approximately 30

meters northeast of the west bridge of Thousand Acre marsh. The creek empties

into the northeastern side of the mid portion of Winyah Bay and directly drains

pine forested upland and wetlands. Salinity ranges from 0 to 15 ppt. and tidal $\ensuremath{\text{0}}$

flux is approximately 1m. The bottom is most composed of fine sediments and

detritus. Georgetown, 5 km upstream from the Thousand Acre site and on the

southern side of Winyah Bay, is the home port for a number of heavy industries

including a steel plant, paper mill, chemical plant, and a coal fired power

plant. A public sewage treatment plant which discharges into the bay is also

located in Georgetown.

2) Oyster Landing (OL) - (lat 33:21:03; long. 79:11:24). The Oyster Landing

monitoring site is considered a fairly pristine and undisturbed area located at

the end of the Oyster Landing pier which is also where the $\,$ NI/Winyah Bay $\,$ NERR

weather station site is located. The pier stretches into the upper reaches of

Crabhaul Creek in the mid western portion of North Inlet. Crabhaul Creek directly drains pine forested uplands and wetlands. Salinity can range from 0-

 $32~\mathrm{ppt.}$ and average tidal flux is approximately 1.4m. The bottom mostly is

comprised of oyster shell hash with some fine sediment and detritus.

3) Debordieu Creek (DC) - (lat 33:21:33, long 79:10:05). The Debordieu Creek

monitoring site is considered an impacted site which is located approximately 1k

south of the Debordieu Colony which is a large development built on $\operatorname{\mathsf{man}}$ $\operatorname{\mathsf{made}}$

canals which drain directly into the northern portion of Debordieu Creek. The $\,$

DC site is also located in an ocean-dominated Spartina marsh which was formerly

surrounded by pine-dominated uplands. Salinity can range from 0 to full

strength sea water and an average tidal flux of approximately 2 meters. The $\,$

bottom is mostly comprised of oyster shell hash with some fine sediment and detritus.

6. Data collection period

Thousand Acre and Oyster Landing data collection both began January 1, 1995.

Debordieu Creek sampling began March 5, 1998. All sampling is ongoing.

7. Associated researchers and projects

A water chemistry program is associated with the NIW core monitoring program.

Variables sampled include: chlorophyll, dissolved organic carbon, nitrate-

nitrite, orthophosphate, and ammonia. (See documentation on the NIW WWW home

page for further details). Thousand Acre is our permanent monitoring station

for the NERR monitoring program, but Oyster Landing and Debordieu Creek were

also sampled during 1998. These stations are also included in our NIW core

monitoring program.

II. Physical Structure Descriptors

8. Variable sequence, column format, range of measurements, units , resolution, and accuracy

YSI 6000 datalogger

Variable Name Format Range of Measurements (Units) Resolution Accuracy

DATE (MMDDYY) 1-12, 1-31, 00-99 (Month, Day, Year) (1 month, 1 day, 1

vr) NA

HOUR (HHMMSS) 0-24, 0-60, 0-60 (Hr, Min, Sec) (1 hr, 1 min, 1 sec) NA

WTEMP -5 to 45 (C) 0.01C \pm 0.15C

SPCOND 0-100 (mS/cm) 0.01mS/cm \pm (0.5% of

reading+0.001mS/cm)

SALINITY 0-70 parts per thousand (ppt) 0.01 ppt $\pm 1.0\%$ of reading or

0.1ppt, (or whichever is greater)

DO Sat 0-200 (% Saturation) 0.1% @air saturation ± 2.0 % @air sat DO Sat 200-500 (% Saturation) 0.1% @air saturation ± 6 % @air sat

DO mg $0-20 \text{ (mg/l) } 0.01\text{mg/l} \pm 0.2\text{mg/l}$

DO mg 20-50 (mg/l) 0.01mg/l $\pm 0.6\text{mg/l}$

Depth (shallow) 0-9.1(m) 0.001m $\pm 0.018m$

pH 2-14 units 0.01units ±0.2units

TURB 0-1000 NTU 0.1 NTU $\pm 5\%$ reading or 2.0 NTU (whichever is greater)

Data columns are separated by 1 tab.

- 9. Coded variable indicator and variable code definitions Site definitions: $OL = Oyster \ Landing; \ TA = Thousand \ Acre, \ DC = Debordieu \ Creek$
- 10. Data anomalies (suspect data)

Any questionable outlying data points between January 1, 1999 and December 31,

1999, not addressed below, have been checked and correspond to probable rainfall

or other weather related events. Much of the Turb. data (especially in the

Fall) which was negative or greater than $1000\ \mathrm{was}$ probably due to the large

amounts of detritus in the water.

DEBORDIEU CREEK (DC)

```
Date Time Variable
                     Reason
1/04/99
           03:30 Depth Depth 0
1/04/99
          04:00 Depth Depth zero
3/04/99
          03:30 Depth Depth zero
          00:00 Turb Turb >1000
4/03/99
          00:00 Turb Turb >1000
4/14/99
4/22/99
          01:30 Turb Turb negative
4/23/99
         15:00 Turb Turb 0
          23:30 Turb Turb negative
5/04/99
          02:00 Turb Turb 0
5/08/99
5/09/99
          03:00 Turb Turb 0
5/12/99
          16:00 - 5/24/99 8:30 DO%, Domg suspect high DO readings,
possible
membrane puncture.
5/29/99 20:30 Turb Turb 0
         08:00 Turb Turb >1000
7/25/99
7/25/99
         16:00 Turb Turb >1000
7/28/99
          09:30 Turb Turb >1000
8/2/99
           21:00 - 8/10/99 11:00 DO%, Domg suspect high DO readings,
possible
membrane puncture.
8/4/99
          20:00 - 8/10/99 11:00 Turb Very noisy (high) turbidity
readings
8/10/99
           11:30 Depth Depth zero
           12:00 Depth Depth zero
8/10/99
8/10/99
          13:30 Depth Depth zero
8/10/99
          14:00 Depth Depth zero
8/10/99
           14:30 Depth Depth zero
8/05/99
           21:00 -8/10/99 11:00 Turb Intermittent turb. Outliers, (148)
```

```
turb. Values > 1000.
         23:30 -09/24/99 10:30 Turb Intermittent turb. Outliers, (129)
9/14/99
turb. Values > 1000.
OYSTER LANDING (OL)
Date Time Variable
                      Reason
1/1/99
           00:00 - 1/14/99 16:00 pH values unusually high.
5/25/99
           15:00 - 5/31/99 23:30 DO%, DOmg (141) Negative values,
possible
membrane failure; DO data deleted
5/27/99
        01:30 Turb Turb >1000
          18:30 Turb Turb >1000
5/27/99
5/28/99
         18:30 Turb Turb 0
          19:00 Turb Turb 0
5/28/99
          06:30 Turb Turb >1000
5/29/99
          07:30 Turb Turb >1000
5/29/99
5/29/99
          19:00 Turb Turb 0
5/29/99
          19:30 Turb Turb negative
          19:30 Turb Turb negative
5/30/99
5/30/99
          20:00 Turb Turb negative
5/30/99
          20:30 Turb Turb negative
         08:30 Turb Turb negative
5/31/99
           20:00 Turb Turb negative
5/31/99
5/31/99
          20:30 Turb Turb negative
5/31/99
           21:00 Turb Turb negative
           21:30 Turb Turb 0
5/31/99
           00:00 - 6/14/99
                                 13:00 DO%, DOmg (209) Negative values,
6/1/99
```

potential membrane failure; DO data deleted 6/01/99 08:30 -6/14/99 08:30 Turb Intermittent turb. Outliers, (69) Turb. values either negative or 0. 16:30 Turb Turb >1000 6/04/99 6/11/99 19:30 Turb Turb >1000 09:00 Turb Turb >1000 6/14/99 7/17/99 08:00 - 7/19/99 10:30 DO%, Domg suspect data; possible membrane puncture 17:00 Turb Turb >1000 7/11/99 14:30 Turb Turb >1000 7/17/99

12:00 Turb Turb >1000

05:30 Turb Turb >1000 10:00 Turb Turb >1000

11:00 Turb Turb >1000

09:00 Turb Turb >1000

09:30 Turb Turb >1000 11:00 Turb Turb >1000

01:30 Turb Turb >1000

09:30 Turb Turb >1000

16:30 Turb Turb >1000

01:30 DO% DO% negative DO deleted

02:00 DO% DO% negative DO deleted

7/25/99

7/28/99

7/28/99

7/29/99 7/30/99

7/30/99

7/30/99 7/31/99

7/31/99

7/31/99

8/25/99 8/26/99

```
8/25/99
          01:30 DOmg DOmg negative DO deleted
          02:00 DOmg DOmg negative DO deleted
8/26/99
8/30/99
          10:00 Depth Depth zero
8/01/99
          10:30 Turb Turb >1000
          11:30 Turb Turb >1000
8/01/99
          17:00 Turb Turb >1000
8/01/99
8/02/99
          07:00 Turb Turb >1000
8/02/99
          07:30 Turb Turb >1000
8/02/99
          10:30 Turb Turb >1000
          23:00 Turb Turb >1000
8/09/99
9/03/99
         14:00 -
                    9/22/99
                                15:00 DO%, DOmg possible membrane
failure;
DO data deleted
10/16/99
          12:30-
                     10/31/99
                                 23:30 DO%, Domg suspect high DO
readings,
possible membrane puncture.
          01:30 Turb Turb 0
10/31/99
11/1/99
          00:30-
                     11/3/99
                                14:00 Extremely high DO%, Domg values.
Suspect DO.
12/03/99
         18:00 Turb Turb 0
12/04/99
          05:30 Turb Turb 0
         06:00 Turb Turb 0
12/04/99
         12:30-
                    12/31/99 23:30, Extremely high DO%, Domg values.
12/14/99
Suspect DO.
THOUSAND ACRE (TA)
Date Time Variable
                     Reason
1/18/99
          19:30 -1/31/99 23:30 possible membrane puncture. Suspect DO.
1/20/99
          15:00 -
                    01/24/99 06:00 Turb Intermittent turb.
Outliers,
(73) Turb values > 1000.
2/4/99
          15:00 - 2/14/99 23:30 Abnormally low salinity.
4/2/99
          12:00 -
                   4/19/99
                                9:30 DO%, DOmg, turb Deleted due to
mud
contamination
5/6/99 15:30 - 5/21/99
                                 6:00 DO%, DOmg, turb Deleted due to
mud
contamination
5/21/99
        11:30 -
                  5/22/99
                                 6:30 DO%, DOmg, turb Deleted due to
mud
contamination
        11:00 -
                     5/24/99
5/22/99
                                 9:30 DO%, DOmg, turb Deleted due to
mud
contamination
5/26/99
          13:30 -
                     5/31/99
                                23:30 DO%, Domg suspect high DO
readings,
possible membrane puncture or mud contamination.
                   DO%, Domg/L DO data deleted due to negative values
5/27/99
         01:30
          04:00 -
                     6/30/99 23:30 Turb Intermittent turb.
6/01/99
Outliers,
```

(453) Turb values >1000

```
6/17/99
           13:00 - 6/30/99
                                  23:30 DO%, DOmg, turb Deleted due to
mud
contamination
           00:00 -
                      7/5/99
7/1/99
                                  10:00 DO%, DOmg, turb Deleted due to
miid
contamination
7/7/99
           13:00 -
                      7/19/99
                                  08:00 DO%, DOmg, turb Deleted due to
mud
contamination
7/30/99
           4:00 Turb Turb. >1000
                      8/11/99
8/3/99
           19:00 -
                                  10:30 DO%, DOmg
                                                   Deleted due erratic
readings (>500 and negative).
           15:00 -
                      8/21/99
8/21/99
                                  16:00 DO%, DOmg
                                                   (3) Values deleted
due
negative readings.
8/22/99
           18:30 -
                     8/22/99
                                  19:00 DO%, DOmg
                                                   (2) Values deleted
due
negative readings.
8/10/99
           04:00 -
                      8/29/99
                                  20:30 Turb Intermittent turb.
Outliers,
(110) Turb readings >1000.
09/10/99
           09:00 Turb Turb >1000
09/10/99
           20:30 Turb Turb >1000
09/11/99
           08:30 Turb Turb >1000
           18:30 Turb Turb >1000
09/14/99
09/15/99
           11:00 Turb Turb >1000
11/03/99
           16:30 -
                      11/04/99
                                  11:00 Abnormal DO%, Domg spike, probe
may
have been out of the water.
         14:00 Turb Turb negative
11/03/99
11/03/99
         14:30 Turb Turb negative
11/03/99 15:00 Turb Turb negative
           15:30 Turb Turb negative
11/03/99
           16:00 Turb Turb negative
11/03/99
11/03/99
           17:00 Turb Turb 0
11/03/99
           22:30 Turb Turb 0
           23:30 Turb Turb 0
11/03/99
11/04/99
           00:30 Turb Turb 0
           01:30 Turb Turb 0
11/04/99
           02:00 Turb Turb 0
11/04/99
           03:00 Turb Turb negative
11/04/99
11/04/99
           03:30 Turb Turb 0
11/04/99
           04:00 Turb Turb 0
11/04/99
           04:30 Turb Turb 0
           05:00 Turb Turb 0
11/04/99
           05:30 Turb Turb 0
11/04/99
11/04/99
           06:00 Turb Turb negative
11/04/99
           06:30 Turb Turb 0
11/04/99
           07:00 Turb Turb negative
           07:30 Turb Turb negative
11/04/99
11/04/99
           08:00 Turb Turb negative
11/04/99
           08:30 Turb Turb 0
           09:00 Turb Turb 0
11/04/99
11/04/99
           09:30 Turb Turb 0
```

12. Missing Data

Every two weeks at TA, DC and OL, there is a period of approximately 24 hours of missing data due to maintenance and calibration.

DEBORDIEU CREEK (DC)

Date	Time	Variak	ole	Reason			
1/14/		11:00	-	1/17/99	14:30	all	Maintenance
2/3/9	9	11:00	-	2/6/99	13:30	all	Maintenance
2/22/	99	14:00	_	2/24/99	15:30	all	Maintenance
3/11/	99	15:30	_	3/12/99	15:30	all	Maintenance
4/1/9	9	14:30	_	4/2/99	10:30	all	Maintenance
4/20/	99	12:00	_	4/21/99	12:30	all	Maintenance
5/5/9	9	10:30	_	5/6/99	12:00	all	Maintenance
5/24/	99	9:00	_	5/25/99	15:00	all	Maintenance
6/14/	99	11:30	_	6/30/99	23:30	all	Maintenance
7/1/9	9	00:00	_	7/7/99	14:00	all	Maintenance
7/22/	99	10:30	_	7/24/99	10:00	all	Maintenance
8/10/	99	11:30	_	8/19/99	8:00	all	Maintenance
9/1/9	9	12:30	_	9/3/99	13:30	all	Maintenance
9/22/	99	9:30	_	9/30/99	23:30	all	Maintenance
10/1/	99	00:00	_	10/16/99	12:00	all	Maintenance
11/3/	99	15:30	_	11/5/99	10:30	all	Maintenance
11/22	/99	12:00	_	11/24/99	12:30	all	Maintenance
11/28	/99	21:30	_	11/30/99	23:30	all	Maintenance
12/1/	99	00:00	-	12/14/99	12:00	all	Maintenance

OYSTER LANDING (OL)

Date	Time	Variable	e Reason			
1/14/ 2/3/9 2/22/ 3/11/ 4/1/9 4/19/ 5/5/9 5/24/	9 99 99 99 9	16:30 - 11:00 - 16:00 - 12:30 - 00:00 - 13:30 - 10:00 - 9:30 -	1/17/99 2/4/99 2/24/99 3/12/99 4/22/99 4/22/99 5/6/99 5/25/99	16:00 15:30 15:30 15:30 8:00 15:00	all all all all all	Maintenance Maintenance Maintenance Maintenance Maintenance Maintenance Maintenance Maintenance

5/25/99 failure;		5/31/99	23:30 DO%,	DOmg Possible membrane			
	DO data deleted						
6/1/99	00:00 -	6/14/99	13:00 DO%,	DOmg Possible membrane			
failure;							
DO data de		- 4 - 4					
6/14/99	13:30 -	6/17/99	10:30 all	Maintenance			
7/5/99		7/7/99	13:00 all	Maintenance			
	11:00 -		7:30 all				
	8:30 -		15:30 all				
8/25/99				leted due to negative values			
8/26/99	02:00	DO%, Domg/1		leted due to negative values			
8/30/99	10:00 -	8/30/99	10:00 all	Instrument was out of the			
water.							
9/1/99	12:30 -	9/3/99	13:30 all	Maintenance			
9/3/99	14:00 -	9/22/99	15:00 DO%,	DOmg Possible membrane			
failure;							
DO data de	leted						
9/22/99	15:30 -	9/24/99	14:30 all	Maintenance			
10/13/99	12:30 -	10/16/99	12:30 all	Maintenance			
	14:30 -		16:00 all	Maintenance			
	11:00 -			Maintenance			
	12:30 -			Maintenance			
,,		,,,					
THOUSAND ACRE (TA)							
Date Time	Variable	Reason					
			14.00 all	Maintenance			
1/15/99	10:00 -	1/17/99	14:00 all	Maintenance Maintenance			
1/15/99 2/3/99	10:00 - 12:00 -	1/17/99 2/4/99	14:30 all	Maintenance			
1/15/99 2/3/99 2/14/99	10:00 - 12:00 - 15:30 -	1/17/99 2/4/99 2/14/99	14:30 all 16:00 all	Maintenance Low battery			
1/15/99 2/3/99 2/14/99 2/15/99	10:00 - 12:00 - 15:30 - 00:00 -	1/17/99 2/4/99 2/14/99 2/24/99	14:30 all 16:00 all 14:30 all	Maintenance Low battery Low battery			
1/15/99 2/3/99 2/14/99 2/15/99 3/11/99	10:00 - 12:00 - 15:30 - 00:00 - 12:00 -	1/17/99 2/4/99 2/14/99 2/24/99 3/12/99	14:30 all 16:00 all 14:30 all 16:30 all	Maintenance Low battery Low battery Maintenance			
1/15/99 2/3/99 2/14/99 2/15/99 3/11/99 3/31/99	10:00 - 12:00 - 15:30 - 00:00 - 12:00 - 15:30 -	1/17/99 2/4/99 2/14/99 2/24/99 3/12/99 3/31/99	14:30 all 16:00 all 14:30 all 16:30 all 23:30 all	Maintenance Low battery Low battery Maintenance Maintenance			
1/15/99 2/3/99 2/14/99 2/15/99 3/11/99 3/31/99 4/1/99	10:00 - 12:00 - 15:30 - 00:00 - 12:00 - 15:30 - 00:00 -	1/17/99 2/4/99 2/14/99 2/24/99 3/12/99 3/31/99 4/2/99	14:30 all 16:00 all 14:30 all 16:30 all 23:30 all 11:30 all	Maintenance Low battery Low battery Maintenance Maintenance Maintenance			
1/15/99 2/3/99 2/14/99 2/15/99 3/11/99 3/31/99 4/1/99 4/2/99	10:00 - 12:00 - 15:30 - 00:00 - 12:00 - 15:30 -	1/17/99 2/4/99 2/14/99 2/24/99 3/12/99 3/31/99	14:30 all 16:00 all 14:30 all 16:30 all 23:30 all 11:30 all	Maintenance Low battery Low battery Maintenance Maintenance			
1/15/99 2/3/99 2/14/99 2/15/99 3/11/99 3/31/99 4/1/99 mud	10:00 - 12:00 - 15:30 - 00:00 - 12:00 - 15:30 - 00:00 - 12:00 -	1/17/99 2/4/99 2/14/99 2/24/99 3/12/99 3/31/99 4/2/99	14:30 all 16:00 all 14:30 all 16:30 all 23:30 all 11:30 all	Maintenance Low battery Low battery Maintenance Maintenance Maintenance			
1/15/99 2/3/99 2/14/99 2/15/99 3/11/99 3/31/99 4/1/99 mud contaminat	10:00 - 12:00 - 15:30 - 00:00 - 12:00 - 15:30 - 00:00 - 12:00 -	1/17/99 2/4/99 2/14/99 2/24/99 3/12/99 3/31/99 4/2/99 4/19/99	14:30 all 16:00 all 14:30 all 16:30 all 23:30 all 11:30 all 9:30 DO%,	Maintenance Low battery Low battery Maintenance Maintenance Maintenance DOmg, turb Deleted due to			
1/15/99 2/3/99 2/14/99 2/15/99 3/11/99 3/31/99 4/1/99 mud contaminat 4/19/99	10:00 - 12:00 - 15:30 - 00:00 - 12:00 - 15:30 - 00:00 - 12:00 -	1/17/99 2/4/99 2/14/99 2/24/99 3/12/99 3/31/99 4/2/99 4/19/99	14:30 all 16:00 all 14:30 all 16:30 all 23:30 all 11:30 all 9:30 DO%,	Maintenance Low battery Low battery Maintenance Maintenance Maintenance DOmg, turb Deleted due to Maintenance			
1/15/99 2/3/99 2/14/99 2/15/99 3/11/99 3/31/99 4/1/99 mud contaminat 4/19/99 5/5/99	10:00 - 12:00 - 15:30 - 00:00 - 12:00 - 15:30 - 00:00 - 12:00 - ion 10:00 - 9:30 -	1/17/99 2/4/99 2/14/99 2/24/99 3/12/99 3/31/99 4/2/99 4/19/99	14:30 all 16:00 all 14:30 all 16:30 all 23:30 all 11:30 all 9:30 DO%,	Maintenance Low battery Low battery Maintenance Maintenance Mointenance Domg, turb Deleted due to Maintenance Maintenance			
1/15/99 2/3/99 2/14/99 2/15/99 3/11/99 3/31/99 4/1/99 4/2/99 mud contaminat 4/19/99 5/5/99	10:00 - 12:00 - 15:30 - 00:00 - 12:00 - 15:30 - 00:00 - 12:00 -	1/17/99 2/4/99 2/14/99 2/24/99 3/12/99 3/31/99 4/2/99 4/19/99	14:30 all 16:00 all 14:30 all 16:30 all 23:30 all 11:30 all 9:30 DO%,	Maintenance Low battery Low battery Maintenance Maintenance Maintenance DOmg, turb Deleted due to Maintenance			
1/15/99 2/3/99 2/14/99 2/15/99 3/11/99 3/31/99 4/1/99 mud contaminat 4/19/99 5/5/99 mud	10:00 - 12:00 - 15:30 - 00:00 - 12:00 - 15:30 - 00:00 - 12:00 - ion 10:00 - 9:30 - 15:30 -	1/17/99 2/4/99 2/14/99 2/24/99 3/12/99 3/31/99 4/2/99 4/19/99	14:30 all 16:00 all 14:30 all 16:30 all 23:30 all 11:30 all 9:30 DO%,	Maintenance Low battery Low battery Maintenance Maintenance Mointenance Domg, turb Deleted due to Maintenance Maintenance			
1/15/99 2/3/99 2/14/99 2/15/99 3/11/99 3/31/99 4/1/99 mud contaminat 4/19/99 5/5/99 mud contaminat	10:00 - 12:00 - 15:30 - 00:00 - 12:00 - 15:30 - 00:00 - 12:00 - ion 10:00 - 9:30 - 15:30 -	1/17/99 2/4/99 2/14/99 2/24/99 3/12/99 3/31/99 4/2/99 4/19/99 4/21/99 5/6/99 5/21/99	14:30 all 16:00 all 14:30 all 16:30 all 23:30 all 11:30 all 9:30 DO%, 15:00 all 15:00 all 6:00 DO%,	Maintenance Low battery Low battery Maintenance Maintenance Momg, turb Deleted due to Maintenance Maintenance Maintenance Maintenance Domg, turb Deleted due to			
1/15/99 2/3/99 2/14/99 2/15/99 3/11/99 3/31/99 4/1/99 mud contaminat 4/19/99 5/5/99 mud contaminat 4/19/99	10:00 - 12:00 - 15:30 - 00:00 - 12:00 - 15:30 - 00:00 - 12:00 - ion 10:00 - 9:30 - 15:30 - ion 6:30 -	1/17/99 2/4/99 2/14/99 2/24/99 3/12/99 3/31/99 4/2/99 4/19/99 4/21/99 5/6/99 5/21/99	14:30 all 16:00 all 14:30 all 16:30 all 23:30 all 11:30 all 9:30 DO%, 15:00 all 15:00 all 6:00 DO%,	Maintenance Low battery Low battery Maintenance Maintenance Momg, turb Deleted due to Maintenance Maintenance Maintenance Maintenance Domg, turb Deleted due to Low battery			
1/15/99 2/3/99 2/14/99 2/15/99 3/11/99 3/31/99 4/1/99 4/2/99 mud contaminat 4/19/99 5/5/99 5/6/99 mud contaminat 5/21/99 5/21/99	10:00 - 12:00 - 15:30 - 00:00 - 12:00 - 15:30 - 00:00 - 12:00 - ion 10:00 - 9:30 - 15:30 -	1/17/99 2/4/99 2/14/99 2/24/99 3/12/99 3/31/99 4/2/99 4/19/99 4/21/99 5/6/99 5/21/99	14:30 all 16:00 all 14:30 all 16:30 all 23:30 all 11:30 all 9:30 DO%, 15:00 all 15:00 all 6:00 DO%,	Maintenance Low battery Low battery Maintenance Maintenance Momg, turb Deleted due to Maintenance Maintenance Maintenance Maintenance Domg, turb Deleted due to			
1/15/99 2/3/99 2/14/99 2/15/99 3/11/99 3/31/99 4/1/99 4/2/99 mud contaminat 4/19/99 5/5/99 5/6/99 mud contaminat 5/21/99 5/21/99 mud	10:00 - 12:00 - 15:30 - 00:00 - 12:00 - 15:30 - 00:00 - 12:00 - ion 10:00 - 9:30 - 15:30 - ion 6:30 - 11:30 -	1/17/99 2/4/99 2/14/99 2/24/99 3/12/99 3/31/99 4/2/99 4/19/99 4/21/99 5/6/99 5/21/99	14:30 all 16:00 all 14:30 all 16:30 all 23:30 all 11:30 all 9:30 DO%, 15:00 all 15:00 all 6:00 DO%,	Maintenance Low battery Low battery Maintenance Maintenance Momg, turb Deleted due to Maintenance Maintenance Maintenance Maintenance Domg, turb Deleted due to Low battery			
1/15/99 2/3/99 2/14/99 2/15/99 3/11/99 3/31/99 4/1/99 4/2/99 mud contaminat 4/19/99 5/5/99 5/6/99 mud contaminat 5/21/99 5/21/99 mud contaminat	10:00 - 12:00 - 15:30 - 00:00 - 12:00 - 15:30 - 00:00 - 12:00 - ion 10:00 - 9:30 - 15:30 - ion 6:30 - 11:30 - ion	1/17/99 2/4/99 2/14/99 2/14/99 3/12/99 3/31/99 4/2/99 4/19/99 4/21/99 5/6/99 5/21/99 5/21/99	14:30 all 16:00 all 14:30 all 16:30 all 23:30 all 11:30 all 9:30 DO%, 15:00 all 15:00 all 6:00 DO%,	Maintenance Low battery Low battery Maintenance Maintenance Momg, turb Deleted due to Maintenance Maintenance Maintenance Maintenance Domg, turb Deleted due to Low battery Domg, turb Deleted due to			
1/15/99 2/3/99 2/14/99 2/15/99 3/11/99 3/31/99 4/1/99 4/2/99 mud contaminat 4/19/99 5/5/99 5/6/99 mud contaminat 5/21/99 5/21/99 mud contaminat 5/22/99	10:00 - 12:00 - 15:30 - 00:00 - 12:00 - 15:30 - 00:00 - 12:00 - ion 10:00 - 9:30 - 15:30 - ion 6:30 - 11:30 - ion 7:00 -	1/17/99 2/4/99 2/14/99 2/14/99 3/12/99 3/31/99 4/2/99 4/19/99 4/21/99 5/6/99 5/21/99 5/21/99 5/22/99	14:30 all 16:00 all 14:30 all 16:30 all 23:30 all 11:30 all 9:30 DO%, 15:00 all 15:00 all 6:00 DO%, 11:00 all 6:30 DO%,	Maintenance Low battery Low battery Maintenance Maintenance Momg, turb Deleted due to Maintenance Maintenance Maintenance Maintenance Domg, turb Deleted due to Low battery Domg, turb Deleted due to			
1/15/99 2/3/99 2/14/99 2/15/99 3/11/99 3/31/99 4/1/99 4/2/99 mud contaminat 4/19/99 5/5/99 5/6/99 mud contaminat 5/21/99 5/21/99 mud contaminat 5/22/99	10:00 - 12:00 - 15:30 - 00:00 - 12:00 - 15:30 - 00:00 - 12:00 - ion 10:00 - 9:30 - 15:30 - ion 6:30 - 11:30 - ion	1/17/99 2/4/99 2/14/99 2/14/99 3/12/99 3/31/99 4/2/99 4/19/99 4/21/99 5/6/99 5/21/99 5/21/99 5/22/99	14:30 all 16:00 all 14:30 all 16:30 all 23:30 all 11:30 all 9:30 DO%, 15:00 all 15:00 all 6:00 DO%, 11:00 all 6:30 DO%,	Maintenance Low battery Low battery Maintenance Maintenance Momg, turb Deleted due to Maintenance Maintenance Maintenance Maintenance Domg, turb Deleted due to Low battery Domg, turb Deleted due to			
1/15/99 2/3/99 2/14/99 2/15/99 3/11/99 3/31/99 4/1/99 4/2/99 mud contaminat 4/19/99 5/5/99 5/6/99 mud contaminat 5/21/99 5/21/99 mud contaminat 5/22/99	10:00 - 12:00 - 15:30 - 00:00 - 12:00 - 15:30 - 00:00 - 12:00 - ion 10:00 - 9:30 - 15:30 - ion 6:30 - 11:30 - ion 7:00 -	1/17/99 2/4/99 2/14/99 2/14/99 3/12/99 3/31/99 4/2/99 4/19/99 4/21/99 5/6/99 5/21/99 5/21/99 5/22/99	14:30 all 16:00 all 14:30 all 16:30 all 23:30 all 11:30 all 9:30 DO%, 15:00 all 15:00 all 6:00 DO%, 11:00 all 6:30 DO%,	Maintenance Low battery Low battery Maintenance Maintenance Momg, turb Deleted due to Maintenance Maintenance Maintenance Maintenance Domg, turb Deleted due to Low battery Domg, turb Deleted due to			
1/15/99 2/3/99 2/14/99 2/15/99 3/11/99 3/31/99 4/1/99 4/2/99 mud contaminat 4/19/99 5/5/99 5/6/99 mud contaminat 5/21/99 5/21/99 mud contaminat 5/22/99 5/22/99	10:00 - 12:00 - 15:30 - 00:00 - 12:00 - 15:30 - 00:00 - 12:00 - ion 10:00 - 9:30 - 15:30 - ion 6:30 - 11:30 - ion 7:00 - 11:00 -	1/17/99 2/4/99 2/14/99 2/14/99 3/12/99 3/31/99 4/2/99 4/19/99 4/21/99 5/6/99 5/21/99 5/21/99 5/22/99	14:30 all 16:00 all 14:30 all 16:30 all 23:30 all 11:30 all 9:30 DO%, 15:00 all 15:00 all 6:00 DO%, 11:00 all 6:30 DO%,	Maintenance Low battery Low battery Maintenance Maintenance Momg, turb Deleted due to Maintenance Maintenance Maintenance Maintenance Domg, turb Deleted due to Low battery Domg, turb Deleted due to			
1/15/99 2/3/99 2/14/99 2/15/99 3/11/99 3/31/99 4/1/99 4/2/99 mud contaminat 4/19/99 5/5/99 5/6/99 mud contaminat 5/21/99 5/21/99 mud contaminat 5/22/99 mud contaminat	10:00 - 12:00 - 15:30 - 00:00 - 12:00 - 15:30 - 00:00 - 12:00 - ion 10:00 - 9:30 - 15:30 - ion 6:30 - 11:30 - ion 7:00 - 11:00 -	1/17/99 2/4/99 2/14/99 2/14/99 3/12/99 3/31/99 4/2/99 4/19/99 4/21/99 5/6/99 5/21/99 5/21/99 5/22/99 5/22/99	14:30 all 16:00 all 14:30 all 16:30 all 23:30 all 11:30 all 9:30 DO%, 15:00 all 15:00 all 6:00 DO%, 11:00 all 6:30 DO%,	Maintenance Low battery Low battery Maintenance Maintenance Momg, turb Deleted due to Maintenance Maintenance Maintenance Maintenance Domg, turb Deleted due to Low battery Domg, turb Deleted due to			
1/15/99 2/3/99 2/14/99 2/15/99 3/11/99 3/31/99 4/1/99 4/2/99 mud contaminat 4/19/99 5/5/99 5/6/99 mud contaminat 5/21/99 5/21/99 mud contaminat 5/22/99 mud contaminat	10:00 - 12:00 - 15:30 - 00:00 - 12:00 - 15:30 - 00:00 - 12:00 - ion 10:00 - 9:30 - 15:30 - ion 6:30 - 11:30 - ion 7:00 - 11:00 - ion. 10:00 -	1/17/99 2/4/99 2/14/99 2/14/99 3/12/99 3/31/99 4/2/99 4/19/99 4/21/99 5/6/99 5/21/99 5/21/99 5/22/99 5/22/99 5/25/99	14:30 all 16:00 all 14:30 all 16:30 all 23:30 all 11:30 all 9:30 DO%, 15:00 all 15:00 all 6:00 DO%, 11:00 all 6:30 DO%,	Maintenance Low battery Low battery Maintenance Maintenance Momg, turb Deleted due to Maintenance Maintenance Maintenance Maintenance Maintenance Domg, turb Deleted due to Low battery Domg, turb Deleted due to Low battery Domg, turb Deleted due to			

6/14/99	12:30 -	6/17/99	12:30 all	Maintenance
6/17/99	13:00 -	6/30/99	23:30 DO%,	DOmg, turb Deleted due to
mud				
contaminati	ion			
6/17/99	13:00 -	6/30/99		No pH probe
7/1/99	00:00 -	7/5/99	10:00 DO%,	DOmg, turb Deleted due to
mud				
contaminati	ion			
7/1/99	00:00 -	7/5/99	10:00 pH	No pH probe.
7/5/99	10:30 -	7/7/99		Maintenance
7/7/99	13:00 -	7/19/99	8:00 pH	
7/7/99	13:00 -	7/19/99	8:00 DO%,	DOmg, turb Deleted due to
mud				
contaminati	=			
7/19/99	8:30	7/22/99	13:30 all	Maintenance
8/3/99	19:00 -	8/11/99	10:30 DO%,	DOmg Deleted due erratic
	>500 and neg			
	11:00			Maintenance
8/21/99	15:00 -	8/21/99	16:00 DO%,	DOmg Deleted due negative
readings.				
8/22/99	18:30 -	8/22/99	19:00 DO%,	DOmg Deleted due negative
readings.				
9/1/99	9:00	9/3/99	14:00 all	Maintenance
9/22/99	9:00	9/24/99	13:30 all	Maintenance
10/13/99	13:30	10/16/99	12:30 all	
11/4/99	11:30 -	11/4/99	15:30 all	Probes may have been out of
the				
water				
11/23/99	11:30	11/30/99	23:30 all	Unit did not record data.
12/1/99	00:00	12/14/99	15:00 all	Maintenance

Other Remarks:

Thousand Acre

1) File ending 5/24/99 Turbidity wiper motor was spinning uncontrollably, and

the probe guard was full of mud.

- 2) File starting 5/25/99 probes were covered in mud, Turbidity wiper was parked
- over the lens. Do membrane was covered in barnacles.
- 3) File starting 6/17/99 There was no pH probe, all spare pH probes were broken.
- 4) File ending 7/20/99 There was no pH probe, all spare pH probes were broken.
- 5) On 7/19/99 TA site was moved approximately 30 feet down stream and attached
- to the Thousand Acres Rice field bridge in order to eliminate probes being

buried in mud.

- 6) File ending 8/12/99 there was fouling on all probes by barnacles and filamentous algae. Small crabs were also found in probe cage.
- 7) File ending 9/2/99 probes had heavy fouling.
- 8) 11/24/99 12/13/99 Unit failed to collect data.

Oyster Landing

- 1) File starting 5/25/99 all probes were fouled.
- 2) File ending 6/16/99 pH port was not working.
- 3) File ending 8/12/99 there was fouling on all probes by barnacles and filamentous algae. Small crabs were also found in probe cage.
- 4) File ending 9/2/99 probes had heavy fouling.
- 5) File ending 12/13/99 Cracked bulkhead was found with water leaking into the

battery compartment.

Debordieu Creek

- 1) File starting 5/25/99 all probes were fouled.
- 2) File starting 6/16/99 Turbidity wiper was blocked by bio-fouling.
- 3) File ending 7/6/99 Turbidity wiper motor stripped.
- 4) Evening of 8/10/99 Extremely high tide uprooted PVC mounting tube from the
- site. PVC mounting was reinstalled 8/19/99 at 9:45AM.
- 5) File ending 8/12/99 there was fouling on all probes by barnacles and filamentous algae. Small crabs were also found in probe cage.
- 6) File ending 9/2/99 probes had heavy fouling.
- 7) File starting 9/24/99 had no data; instrument failed to record data.
- 8) File ending 12/13/99 battery died four days into the deployment.